## artisan®

## Australia's specialist food display equipment supplier



**EXPO CHILLERS & FREEZERS** 



COLDMART

Call us



RIVIERA





Artisan<sup>®</sup> Food Equipment Pty Ltd Specialists in Self-contained Food Display Systems 1300 278 472 | sales@artisangroup.net.au | www.artisanfoodequipment.com.au Showrooms in Brisbane, Melbourne & Sydney. Warehouses Australia-wide

#20BA1



P2



### **CUSTOM OPTIONS**

Bottom-mounted works

Remote works (with TX and Solenoid valves)

- Pass-through: doors to front & back
- View-through glass panel at front doors to view



**Freezers** now available with world first Japanese Hitachi compressors

| ILLERS | LLERS & FREEZERS    |                        |  |  |  |  |  |  |
|--------|---------------------|------------------------|--|--|--|--|--|--|
| EPTH   | CHILLER -1°C to 4°C | FREEZER -18°C to -22°C |  |  |  |  |  |  |
| D      | M1101               | M1301                  |  |  |  |  |  |  |
| D      | M1173               |                        |  |  |  |  |  |  |
| D      | M1102               | M1302                  |  |  |  |  |  |  |
| D      | M1103T              | M1303                  |  |  |  |  |  |  |
| D      | M1104               |                        |  |  |  |  |  |  |
| Y CHI  | LLERS & FREEZERS    |                        |  |  |  |  |  |  |
| EPTH   | CHILLER             | FREEZER                |  |  |  |  |  |  |
| D      | M1131               | M1331                  |  |  |  |  |  |  |
| D      | M1132               | M1332                  |  |  |  |  |  |  |
| D      | M1133               | M1333                  |  |  |  |  |  |  |

\* All prices exclude delivery & GST \*Any offer is subject to our terms & conditions \* All subject to change without notice



| DC | OORS | LENGTH | CHIL                 | FREEZER              |                      |
|----|------|--------|----------------------|----------------------|----------------------|
|    |      |        | GLASS DOORS (LITRES) | SOLID DOORS (LITRES) | SOLID DOORS (LITRES) |
|    | 2    | 1200mm | M2212 (200L)         | M2112 (220L)         | M2312 (220L)         |
|    | 2    | 1500mm | M2215 (300L)         | M2115 (330L)         | M2315 (330L)         |
|    | 3    | 1800mm | M2218 (400L)         | M2118 (440L)         | M2318 (440L)         |
|    | 3    | 2100mm | M2221 (500L)         | M2121 (550L)         | M2321 (550L)         |
|    | 4    | 2400mm | M2224 (600L)         | M2124 (630L)         | M2324 (630L)         |

### **CHILLER-FREEZER COMBOS**

| CHILLERS       | 850mmH (750mmH + castors) x 750mmD |        |                                 |  |
|----------------|------------------------------------|--------|---------------------------------|--|
| EDEE7ED        | DOORS                              | LENGTH | SOLID DOORS                     |  |
| <b>FREEZER</b> | 1 FREEZER & 1 CHILLER              | 1500mm | M2415                           |  |
| M2418          |                                    | 1800mm | M2418                           |  |
| M2421          | 1 FREEZER & 2 CHILLER              | 2100mm | M2421                           |  |
|                |                                    |        | ALL CONTRACTOR DESCRIPTION OF A |  |

✓ Option to have fridge section with glass door

P4

\* All prices exclude delivery & GST \*Any offer is subject to our terms & conditions \* All subject to change without notice

Australia's specialist food display equipment supplier

### HOST UPRIGHT STA CH

'RENT MI623 TO OWN

### **FEATURES** •

- ✓ Tropicalised chillers & freezers
- ✓ Stainless steel doors: half-split-height & full height

MI622

- ✓ 4 levels of adjustable wire shelves + base
- ✓ Automatic demisting of fascias
- ✓ Rated for 43°C ambient working conditions

|   | 2040mm HIGH x 750mm DEEP   |   |  |   |   |                 | 100 B                       |
|---|--|---|--|---|---|-----------------|-----------------------------|
| AY  | DOORS  | WIDTH   | CHILLER  | (LITRES)  | FREEZER (LITRES)  | CHILLER & FRE   | EZER                        |
| 1   | 1 Full Height  | 760mm   | M1511  | (522L)  | M1611 (522L)  |                 | and the second              |
| 1   | 2 x 1/2  | 760mm   | M1521  | (522L)  | M1621 (522L)  | M1751           |                             |
| 2 2   | 2 Full Height  | 1220mm  | M1512  | (930L)  | M1612 (930L)  | M1762           |                             |
| 2   | 4 x 1/2  | 1220mm  | M1522  | (930L)  | M1622 (930L)  |                 |                             |
| 3 3   | 3 Full Height  | 1820mm  | M1513  | (1400L)   | M1613 (1400L)   |                 |                             |
| 3   | 6 x 1/2  | 1820mm  | M1523  | (1400L)   | M1623 (1400L)   |                 |                             |
|   | TIDECO   |   | CHILI  | RONORM  | ZERS  |                 |                             |
| 🗸 Tro   | TURES •  | ers & freezers  |  | ✓ Rated for 43°C (  | 1.00  |                 |                             |
| ✓ Tro   |  | ers & freezers  |  |   | ambient working   |                 |                             |
| <ul> <li>✓ Tro</li> <li>✓ Go</li> <li>✓ pe</li> <li>✓ 5  </li> </ul>            | opicalised chille<br>astronorm comp<br>r shelf<br>levels of adjuste  | ers & freezers<br>patible: 2-off x<br>able stainless s  | 1/1-size<br>teel                                 | ✓ Rated for 43°C of conditions  | ambient working<br>rks                                  |                 |                             |
| <ul> <li>✓ Trope</li> <li>✓ Go</li> <li>✓ 5 lo</li> <li>win</li> </ul>          | opicalised chille<br>astronorm comp<br>er shelf  | ers & freezers<br>patible: 2-off x<br>able stainless s<br>0mm W x 650                                 | 1/1-size<br>teel                                 | <ul> <li>✓ Rated for 43°C of conditions</li> <li>✓ Top mounted work</li> </ul>  | ambient working<br>rks<br>4°C                           |                 |                             |
| <ul> <li>✓ Trope</li> <li>✓ Go</li> <li>✓ 5 lo</li> <li>win</li> </ul>          | opicalised chille<br>astronorm com<br>er shelf<br>levels of adjuste<br>re shelves (530<br>utomatic demist  | ers & freezers<br>patible: 2-off x<br>able stainless s<br>0mm W x 6500<br>ing of fascias              | 1/1-size<br>teel<br>mm D) + base                 | <ul> <li>Rated for 43°C of conditions</li> <li>Top mounted work</li> <li>Chiller: -1°C to 4</li> </ul>                              | ambient working<br>rks<br>4°C<br>o -22°C                | °C to 4°C FREEZ | ZER -18°C to -22°C          |
| <ul> <li>✓ Trope</li> <li>✓ God pe</li> <li>✓ 5 Io win</li> <li>✓ Au</li> </ul> | opicalised chille<br>astronorm comp<br>er shelf<br>levels of adjuste<br>re shelves (530<br>utomatic demist | ers & freezers<br>patible: 2-off x<br>able stainless s<br>)mm W x 6500<br>ing of fascias<br>INAL DIME | 1/1-size<br>teel<br>mm D) + base<br>ENSIONS: WIE | <ul> <li>Rated for 43°C of conditions</li> <li>Top mounted work</li> <li>Chiller: -1°C to 4</li> <li>Freezer: -18°C to 4</li> </ul> | ambient working<br>rks<br>4°C<br>6 -22°C<br>CHILLER - 1 |                 | ZER -18°C to -22°C<br>M1811 |

|   |                                    |                    | 2040mm HIGH x 750mm  | DEEP            |            |  |  |
|---|------------------------------------|--------------------|--|-----------------|------------|--|--|
| OORS  | WIDTH                              | CHILLER            | (LITRES) F   | REEZER (LITRES) | -          | ER & FREEZER<br>COMBO  | 1.1.4  |
| ull Height  | 760mm                              | M1511              | (522L)   | M1611 (522L)    |            | COMBO  | and the second second  |
| x 1/2   | 760mm                              | M1521              | (522L)   | M1621 (522L)    |            | M1751  |  |
| ull Height  | 1220mm                             | M1512              | (930L)   | M1612 (930L)    |            | M1762  |  |
| x 1/2   | 1220mm                             | M1522              | : (930L)   | M1622 (930L)    |            |  |  |
| Il Height   | 1820mm                             | M1513              | (1400L)  | M1613 (1400L)   |            |  |  |
| x 1/2   | 1820mm                             | M1523              | (1400L) I  | W1623 (1400L)   |            |  |  |
|   | lers & freezers<br>npatible: 2-off |                    | <ul> <li>Rated for 43°C ambient<br/>conditions</li> <li>Top mounted works</li> </ul> | t working       |            |  |  |
| eer<br>els of adjustable stainless steel<br>helves (530mm W x 650mm D) + base |                                    |                    | ✓ Chiller: -1°C to 4°C   |                 |            |  |  |
| natic demis   | sting of fascias                   | S                  | ✓ Freezer: -18°C to -22°C  |                 | <b>*</b> 1 | and the second s | and a second |
|   | RES DIA                            |                    | DTH X HEIGHT X DEP   | TH CHILLER - 1  | °C to 4°C  | FREEZER -18°C  | to -22°C   |
| 60  | OL                                 | 760mm <b>W</b> x 2 | 2040mm <b>H</b> x 860mm <b>D</b>   | M18             | 01         | M181   |  |
| 120   | 00L                                | 1360mm <b>W</b> x  | 2040mm <b>H</b> x 860mm <b>D</b>   | M18             | 02         | M1812  | 2  |

\* All prices exclude delivery & GST \*Any offer is subject to our terms & conditions \* All subject to change without notice

### www.artisanfoodequipment.com.au

CALL 1300 278 472 EMAIL sales@artisangroup.net.au **USTRALI** 

WIDE

✓ Top mounted works ✓ Chiller: -1°C to 4°C ✓ Freezer: -18°C to -22°C

### **CUSTOM OPTIONS**

Remote works (with TX and Solenoid valves) ✓ Pass-through: doors to rear also




### **UNDER-COUNTER** BAKERS BUDD **CHILLERS & FREEZERS**

Use your same standard 29" x 16"/ 18" Racks & Shelves in your Bakers Buddy and your oven. Adjustable

RENT U UWI

NO MORE DOUBLE-HANDLING



\* All prices exclude delivery & GST \*Any offer is subject to our terms & conditions \* All subject to change without notice



Lockable heavy duty wheels ensure easy maneuvering

Self Closing Doors with **Open Dwell Action** & "Easy Grip" Ergonomic **Full Length Handles** 

6 shelf/tray

capacity per door



### Fully adjustable Shelf & **Tray Slides**\*

\*Wire shelves are not included please order wire shelves separately



**Electronic Controls & digital** read-out, Fully Automatic, Automatic Condensate **Disposal & Heavy-Duty** Condenser

Available with optional 150mm H splash back



# artisan®

**DON'T WORK THROUGH EVERY** NIGHT .... **TALK TO ARTISAN AND YOU'LL RISE** WITH THE SUN

artisan®CHILLERS & FREEZERS in 1, 2 & 3 door models that allow you to chill or freeze your product on the same standard baking racks & shelves that you use in your oven!



| UPRIGHT<br>2040mm H<br>x 930mm D | CHILLER<br>0°C to 4°C | -]8° |
|----------------------------------|-----------------------|------|
| 1 DOOR<br>760 W                  | M1701                 | ,    |
| 2 DOOR<br>1220 W                 | M1702                 | N    |
| 3 DOOR<br>1820 W                 | M1703                 | N    |

\* All prices exclude delivery & GST \*Any offer is subject to our terms & conditions \* All subject to change without notice IO MORE DOUBLE-HANDLING

Use your same standard 29" x 16"/ 18"Racks & Shelves in your Bakers Buddy and your oven. \*Wire shelves are not included - please order wire shelves separately

**"THE BAKERS BUDDY TAKES THE BEAST OUT OF THE BAKERY" Gold Coast Baker** 

### www.artisanfoodequipment.com.au Phone: 1300 278 472

## **Bakers Buddy**

M1722





1300 278 472 EMAIL sales@artisangroup.net.au



## artisan® Australia's specialist food display equipment supplier

## **ARCTIC PLUS** DISPLAY CABINET

TO OWN

& OTHER FINANCE Lutions availabl CALL NOW FOR YOU PACKAGE DEAL

### **FEATURES:**

- 830mm display deck
- Curved profile
- Hinged-opening
- Tempered glass front
- Ventilated & cold base
- Self contained & auto
- Work bench
- Mobile on castors
- Electronic digital controller
- Full refrigerated storage underneath







CALL 1300 278 472

ARCTIC PLUS DISPLAY CABINET

**Optional Bain-marie or** hot plate cabinet available



| MODEL NUMBER                            | 1342mm H x 1114mm D x<br>Lengths |  |  |
|---|----------------------------------|--|--|
| M5714                                   | 1330mm                           |  |  |
| M5717                                   | 1645mm                           |  |  |
| M5720                                   | 1955mm                           |  |  |
| M5726                                   | 2580mm                           |  |  |
| M5733                                   | 3205mm                           |  |  |
| M5739                                   | 3830mm                           |  |  |
| Internal and external corners available |                                  |  |  |





- conditions ... ready to 'plug & play'





## **ARCTIC VOGUE DISPLAY CABINET FEATURES**

•



343 230

## **ARCTIC ICE DISPLAY CABINET FEATURES**

- Cold plate style, •
- Static twin-coil refrigeration
- Deck takes loose ice directly on display
- Tundish (drain) required
- Mobile



Electronic controls

Light and compact

Efficient/easy cleaning

Glass shelf

Grey tonings

1305mm H x Model 913mm D x number Lengths 1000mm M5410 1300mm M5413 M5415 1500mm M5420 2000mm M5425 2500mm

Mobile


Glass top

Work bench

Auto defrost

Ventilated refrigeration





### **Perforated** panels to allow display to drain.

| Model<br>number | 1280mm H x<br>114mm D x<br>Lengths |
|-----------------|------------------------------------|
| M5601           | 1350mm                             |
| M5603           | 1975mm                             |
| M5604           | 2575mm                             |











• Shelf product fences

820 855

- Brilliant LED lighting to every level
- Ticket edge for pricing labels
- Frost-free operation with auto defrost

# Recellence in Commercial Refrigeration

### sales@artisangroup.net.au | www.artisanfoodequipment.com.au



| x<br>x lengths | 5-Tier Display with<br>White interior | 5-Tier Display with<br>Black interior |
|----------------|---------------------------------------|---------------------------------------|
|                | M4107ML                               | M4207MB                               |
|                | M4109ML                               | M4209MB                               |
|                | M4113ML                               | M4213MB                               |
|                | M4115ML                               | M4215MB                               |
|                | M4119ML                               | M4219MB                               |
|                | M4126ML                               | M4226MB                               |



- Electric element self-evaporative system
- Fully self-contained and automatic
- Night blind

2000mm high 855mm deep 690mm L 870mm L 1310mm L 1510mm L 1940mm L 2560mm L

- Mobile on heavy-duty castors
- Brilliant LED lighting to every level
- Electronic controller all factory pre-set ready to 'plug and play'



## **COLDMART SLIM-LINE OPEN -FRONT CHILLER**

Request our specialist brochure

for this range Call 1300 278 472



| 1990 |  |
|------|--|
| Ŧ    |  |



CALL 1300 278 472

COLDMART

**DISPLAY FRIDGES** 

### 5-Tier Display with White interior Black interior 2000mm high x 665mm deep x lengths 690mm L M4607 M4707 M4609 M4709 870mm L 1310mm L M4613 M4713 1510mm L M4615 M4715 M4619 M4719 1940mm L

### FEATURES:

- 5-tier display: 4 levels height
- adjustable shelves & base
- Shelf product fences
- Ticket edge for pricing labels · Brilliant LED lighting to every level
- Frost-free operation with auto defrost
- Electric element self-evap system
- Fully self-contained and automatic
- Night blind
- Mobile on heavy-duty castors • Electronic controller all factory

1300 278 472

RENT

TO OWN

**VISIT** www.artisanfoodequipment.com.au

- pre-set ready to 'plug and play' • White interior (black made
- to order)

EMAIL sales@artisangroup.net.au





### **FEATURES**

- ✓ White interior

CALL

- ✓ Shelf product fences
- ✓ Ticket edge for pricing labels
- ✓ Brilliant LED lighting to every level
- ✓ Night blind
- ✓ Mobile on heavy-duty castors

| 1420mm HIGH x 685mm DEEP x LENGTHS | 3-TIER DISPLAY |
|------------------------------------|----------------|
| 705mm L                            | M4307M         |
| 890mm L                            | M4309M         |
| 1330mm L                           | M4313M         |
| 1530mm L                           | M4315M         |
| 1960mm L                           | M4319M         |



 $\odot$ 

 $\odot$ 

- Double glazed self-closing doors with a dwell position for ease of loading
- 5 adjustable shelves plus the base
- LED light for every level Castors

| k 000            | k               | a ser and so in |                 | No. of Street, or other |
|------------------|-----------------|-----------------|-----------------|--|
| MODEL            | M4551W          | M4552W          | M4553W          | M4554W   |
| COLOUR           | WHITE           | WHITE           | WHITE           | WHITE  |
| MODEL            | M4451B          | M4552B          | M4553B          | M4554B   |
| COLOUR           | BLACK           | BLACK           | BLACK           | BLACK  |
| LENGTH WITH ENDS | 1310mm          | 1935mm          | 2560mm          | 3750mm   |
| NUMBER OF DOORS  | 2               | 3               | 4               | 6  |
| DISPLAY AREA     | 1.98m2          | 2.97m2          | 3.96m2          | 5.94m2   |
| POWER            | 10 amp/240 volt | 15 amp/240 volt | 15 amp/240 volt | 20 amp/240 volt  |

CALL 1300 278 472 **COLDMART GREEN** 



RENT

TO OW






## "Coldmart Green" ...efficiency meets pizzaz in retail display

- Shelves can be sloping or straight
- Plug in, self-contained
- Shelf ticket strip
- Digital controls
- Bump rails
- Runs the energy efficient R290 Emmerson inverter compressor • Inverter electronic fans

## artisan® Australia's specialist food display equipment supplier

**TIFFANY DELICACY DISPLAY CASES** 





| 1000MM HIGH X<br>700MM DEEP X LENGTH | +3°C TO +8°C | PULL-OUT DISPLAY<br>DRAWERS |
|--------------------------------------|--------------|-----------------------------|
| 1200mm Long                          | M3712        | 2                           |
| 1500mm Long                          | M3715        | 3                           |
| 1800mm Long                          | M3718        | 3                           |

### Features +3°C to +8°C

10 O.W.

Internal display height 250 mm - LED lighting - Stainless steel finish - Mobile on castors - Tropicalised with auto-demisting - Electronic digital temperature display and control - Fully self-contained - Auto defrost and self-evap system - Three lengths

### **MONACO BACK BAR Slim-Line Display Chillers**

### Features

- Black exterior
- Internal LED lights
- Automatic closing doors
- Digital controller Double-glazed doors
- Auto defrost
- Adjustable feet
- Can be built-in, except front Hinged and sliding door options
- Other options of colour & finish available

900MM HIGH X 520MM

DEEP X LENGTHS

900mm I

1350mm I

600mm L

900mm L

1350mm L



112265

## **MONACO COUNTER TOP DISPLAY**

DOOR

TYPE

Sliding – 2 doors

Sliding – 2 doors

Hinging – 1 door

Hinging – 2 doors

Hinging – 3 doors

### **FEATURES**

LITRES NOMINAL

208L

320L

138L

208L

320L

Matching hot and cold 1

M2262

CHILLER

0°C TO 4°C

M2253

M2255


M2262


M2263

M2265

M2263

- Fully self contained,
- sits on top of bench no cut
- outs required Internal LED lights
- Digital Control
- Double glazed glass and 1 rear sliding doors
- CAPACITY DIMENSIONS MODEL TYPE LITERS Heated to 75+ 697mm W x 578mm D M3763 130 x 678mm H degrees 875mm W x 578mmD Heated to 75+ M3764 160 x 678mm H degrees 697mm W x 578mm D M3753 Cold 0 + degrees 130 x 678mm H 875mm W x 578mmD M3754 Cold 0 + degrees 160 x 678mm H





| 11111    | 1360MM H X<br>800MM D X<br>LENGTH | CAPACITY OF<br>WIRE SHELVES<br>(NOT INCLUDED) | GLASS<br>FRONT | REFRIGERATED<br>UP FROM 1°C | HEATED<br>UP TO 75°C |  |
|----------|-----------------------------------|---|----------------|-----------------------------|----------------------|--|
|          | 1 - BAY                           | Up to 6 wire                                  | Curved         | M3511                       | M3521                |  |
|          | 1060mm L                          | shelves 29"<br>x 16"/18"                      | Square         | M3611                       | M3621                |  |
|          | 2 - BAY                           | Up to 12<br>wire shelves                      | Curved         | M3512                       | M3522                |  |
| ۶.       | 1850mm L                          | 29" x<br>16"/18"                              | Square         | M3612                       | M3622                |  |
|          | 3 - BAY                           | Up to 18<br>wire shelves                      | Curved         | M3513                       | M3523                |  |
| 2640mm L | 29" x<br>16"/18"                  | Square  | M3613          | M3623                       |                      |  |



The dream has come true for every baker and pastry cook!

## artisan®

Request our specialist brochure for this range Call 1300 278 472

Australia's specialist food display equipment supplier

## CALL 1300 278 472 CUISINE **Food Display Counters**

| 1365mm High x 830mm Deep<br>(1010mm deep when cutting<br>board in place) x Length | 1/1-Size<br>Bays | Glass<br>Front | Refrigerated | Food Pans | Refrigerated<br>Storage Doors |
|---|------------------|----------------|--------------|-----------|-------------------------------|
| 900mm L   | 2                | Curved         | M2709        | 8 x 1/4   | 1                             |
| 900mm L   | 2                | Square         | M2809        | 8 x 1/4   | 1                             |
| 1200mm L  | 2                | Curved         | M2712        | 12 X 1/4  | 2                             |
|   | 3                | Square         | M2812        | 12 X 1/4  | 2                             |
| 1500  | 4                | Curved         | M2715        | 16 X 1/4  | 2                             |
| 1500mm L  |                  | Square         | M2815        | 16 X 1/4  | 2                             |
| 1800mm L  | 5                | Curved         | M2718        | 15 X 1/3  | 3                             |
|   |                  | Square         | M2818        | 15 X 1/3  | 3                             |
| 2150mm L  | 6                | Curved         | M2721        | 18 X 1/3  | 3                             |
|   |                  | Square         | M2821        | 18 X 1/3  | 3                             |
| 2450mm L  | 7                | Curved         | M2724        | 21 X 1/3  | 4                             |
| 2430mm L  |                  | Square         | M2824        | 21 X 1/3  | 4                             |
|   |                  |                |              |           |                               |



### **FEATURES** •

- ✓ Sliding doors to rear of display area
- ✓ Internal glass display shelf (dry)
- ✓ Interior display lighting
- Removable cutting board
- ✓ Refrigerated storage underneath
- ✓ Recessed ventilated air well
- ✓ Temperature range 2°C to 5°C
- ✓ Adjustable shelf to storage area with self-closing stainless steel doors

## **SURRENTO** Food Prep Counters

M2812

HAN

TO OWN

### **FEATURES** •

- Raised ventilated air well with hinged lift-up stainless steel covers
- Suits standard Gastronorm pans
- ✓ 400 mm deep removable cutting board
- Refrigerated storage underneath
- ✓ Temperature range 2°C to 5°C
- Adjustable shelf to storage area with self-closing stainless steel doors

| 1000mm HIGH x 740mm<br>DEEP (1010mm when cutting<br>board in place) x LENGTH | REFRIGERATED | 1/3-SIZE FOOD<br>PANS: 176mm<br>W x 325mm D | HINGED LIFT-UP<br>STAINLESS STEEL<br>COVERS | CHILLER<br>STORAGE<br>DOORS |
|--|--------------|---|---|-----------------------------|
| 1200mm L   | M2912        | 5 X 1/3                                     | 1   | 2                           |
| 1500mm L   | M2915        | 6 X 1/3                                     | 1   | 2                           |
| 1800mm L   | M2918        | 8 X 1/3                                     | 2   | 3                           |
| 2100mm L   | M2921        | 9 X 1/3                                     | 2   | 3                           |
| 2400mm L   | M2924        | 11 X 1/3                                    | 2   | 4                           |



The quality of your pizza counters is excellent, and they work very well!

Antonio, South Sydney



artisan®

Australia's specialist food display equipment supplier

### **FEATURES** •

- Refrigerated counter display: up from 1°C
- Heated Counter display: up to 80°C
- 4 levels of display, including 3 adjustable shelves
- Double-glazed front & top
- Double-glazed rear sliding doors
- Demisting of glass front, top & doors
- Lighting to every shelf
- High-grade stainless steel interior & exterior
- Electronic digital temperature display & controls
- Rated for 35°C ambient working conditions & 60% R.H.
- Auto defrost
- Mobile on hidden castors
- Ready to plug-in



GLAS

1345MM H X 700MM D X LENGTH

900mm L

1200mm L

1500mm L

1800mm L

2400mm L

equest our

specialist brochure for this range Call 1300 278 472


ALTERNATIVELY, WE CAN CUSTOM MANUFACTURE FOR THE LENGTH THAT SUITS YOU!

## CALL 1300 278 472 **RIVIERA** DISPLAY CASES



| GLASS FRONT | REFRIGERATED<br>UP FROM 1°C | Heated<br>Up to 75°C | AMBIENT<br>DRY |
|-------------|-----------------------------|----------------------|----------------|
| Curved      | M3209                       | M3251                | M3261          |
| Square      | M3409                       | M3451                | M3461          |
| Curved      | M3212                       | M3252                | M3262          |
| Square      | M3412                       | M3452                | M3462          |
| Curved      | M3215                       | M3253                | M3263          |
| Square      | M3415                       | M3453                | M3463          |
| Curved      | M3218                       | M3254                | M3264          |
| Square      | M3418                       | M3454                | M3464          |
| Curved      | M3224                       | M3256                | M3266          |
| Square      | M3424                       | M3456                | M3466          |
|             |                             |                      |                |

## **MONACO TOWER** Display Cases



## **MANGE Scoopy Ice-cream Display Cabinet**

| FEAT  | URES °                |   |  |
|---|-----------------------|---|--|
| <ul> <li>Danfoss</li> <li>Glass co</li> <li>Takes 5</li> <li>Internal</li> <li>LED light</li> </ul> | litre tubs<br>storage | <ul> <li>✓ Coppe</li> <li>✓ On wh</li> <li>✓ Energy</li> <li>✓ Thermody</li> <li>✓ 2 sizes</li> </ul> | eels<br>-efficient<br>ostatic controller |
| MODEL<br>NUMBER   |                       | n Deep x<br>m High x  | 5 LITRE TUB<br>CAPACITY                  |
| M2523   | 131                   | 0 mm  | 7 + 3                                    |
| M2528   | 181                   | 0 mm  | 10 + 4                                   |

FULLY

MULTI-PURPOSE STORAGE

## **BIG BEAR Blast Freezer, -40°C** MODEL M1743 •

**OPERATES TO** MINUS 40°C Rated for 40°C ambient working conditio

### SIZE º

✓ External 900 x 900 x 2030mm High

✓ Internal 740 x 460mm Wide

### M1743 FEATURES °

- Tropicalised
- ✓ Fitted with 15 sets of adjustable runners to take standard 29" x 16"/18" shelves (not incl.)
- Drain required
- ✓ Stainless Steel
- ✓ 20amp single phase 240 volt

✓ Split doors (full height inside)

## artisan®



Australia's specialist food display equipment supplier

## 1200MM H X 700MM D X LENGTH **FEATURES** • 900mm L

1200mm L

1500mm L

1800mm L

2400mm I

- Refrigerated counter display: up from 1°C
- Heated Counter display: up to 80°C
- 3 levels of display, including 2 adjustable shelves
- Double-glazed front & top
- Double-glazed rear sliding doors
- Demisting of glass front, top & doors
- Lighting to every shelf
- High-grade stainless steel interior
- Electronic digital temperature display & controls
- Rated for 35°C ambient working conditions & 60% R.H.
- Auto defrost
- Mobile on hidden castors
- Ready to plug-in



P20

### CALL 1300 278 472

## **PARIS** DISPLAY CASES



| GLASS FRONT | REFRIGERATED<br>UP FROM 1°C | HEATED<br>UP TO 75°C | AMBIENT<br>DRY |
|-------------|-----------------------------|----------------------|----------------|
| Curved      | M3309                       | M3351                | M3361          |
| Square      | M3109                       | M3151                | M3161          |
| Curved      | M3312                       | M3352                | M3362          |
| Square      | M3112                       | M3152                | M3162          |
| Curved      | M3315                       | M3353                | M3363          |
| Square      | M3115                       | M3153                | M3163          |
| Curved      | M3318                       | M3354                | M3364          |
| Square      | M3118                       | M3154                | M3164          |
| Curved      | M3324                       | M3356                | M3366          |
| Square      | M3124                       | M3156                | M3166          |
|             |                             |                      |                |



## artisan®

Australia's specialist food display equipment supplier

## MINIMART FREEZERS

### **STAINLESS STEEL WORK-TOP LID**



| NUMBER | DISPLAY LIDS | STEEL WORKTOP | high X length | LIIKES  | BASKETS | ✓ Danfoss Compressor  |
|--------|--------------|---------------|---------------|---------|---------|---|
| M2508  | 1            |               | 760mm L       | 300 Ltr | 3       | ✓ All copper tubing   |
| M2513  | 1            |               | 1310mm L      | 420 Ltr | 5       | ✓ Adjustable thermostat                                       |
| M2518  | 1            |               | 1810mm L      | 610 Ltr | 8       | <ul> <li>Adjustable thermostativity with indicator</li> </ul> |
| M2608  |              | 1             | 760mm L       | 300 Ltr | 3       | ✓ Mobile on castors   |
| M2613  |              | 1             | 1310mm L      | 420 Ltr | 5       |   |
| M2618  |              | 1             | 1810mm L      | 610 Ltr | 8       | ✓ Energy-efficient  |

## artisan® Australia's specialist food display equipment supplier



## **CRYSTAL MOUNTAIN ICE MACHINES**

MODEL # M6101 M6102

M6103 M6104 M6105 M6106 M6107 M6108 M6109 M6110 M6111 M6112 M6113

✓ AIR COOLED ✓ C.E. APPROVED

## **SUPERMART ISLAND DISPLAY FREEZERS**



| INUMDER | X 834MM WIDE (873MM INCL. BUMP KAIL) |        |         |   |
|---------|--------------------------------------|--------|---------|---|
| M2586   | 1860mm LONG                          | CURVED | 650 Ltr | 4 |
| M2587   | 2110mm LONG                          | SQUARE | 780 Ltr | 5 |
| M2588   | 2510mm LONG                          | SQUARE | 900 Ltr | 6 |



- Dual temperature function allows operation as a fridge or a freezer with 'the-turn-of-a-key'
- ✓ Auto defrost and 1 . . .

|   | condensate dispos  | 5 |
|---|--------------------|---|
| 1 | Digital thermostat |   |

- ✓ Mobile on castors
- Night covers included
- ✓ 2 x LED horizontal lights

| VV I |                 | и-кеу             |
|------|-----------------|-------------------|
|      | MODEL<br>NUMBER | 980MM<br>X 1070MM |
|      | M2595           | 1                 |
|      | M2598           | 2                 |
|      |                 |                   |

| SUPERMART D<br>DUAL-TEMP OPE      |            |
|-----------------------------------|------------|
| The Dual-Temp works like a charm! |            |
| Paddy, Gourmet Melbourne Butcher  | A CONTRACT |

### HIGH (INCL. CASTORS) WIDE (INCL. BUMP RAIL)

540mm LONG 2590mm LONG

### **FEATURES**

- ✓ Efficient Static Refrigeration
- ✓ LED Light ✓ -18°C to -22°C
- ✓ Danfoss Compressor
- ✓ Full Basket with Dividers/Adj Base (Max 530 D x 645 W)
- ✓ White with Grey Bump Rails ✓ On Wheels
- ✓ Rated for Ambient Working Conditions: 30°C & 55% R.H. ✓ Digital Controller

PLAYS

✓ Auto Condensate Disposal



### ABERDEEN<sup>™</sup> DRY-AGING DISPLAY CHILLER

| DOORS | DIMENSIONS: WIDTH x HEIGHT x DEPT |
|-------|-----------------------------------|
| 1     | 650mm W x 2040mm H x 800mm D      |
| 2     | 1260mm W x 2040mm H x 800mm D     |

Australian Design Registration No. 201612790

FEATURES

- All of the deluxe artisan® display chiller features; plus.....
- 40mm thick walls of beautiful
- multi-coral coloured HIMALAYAN SALT • White LED lighting behind salt blocks in background
- Copper evaporator fins





### CALL 1300 278 472

### **ISLAND FOCUS SUPERMARKET CHEST FREEZER**

| ODEL<br>IMBER COLOUR |       | LITRES<br>- NOMINAL | DIMENSIONS                   |
|----------------------|-------|---------------------|------------------------------|
| 2589                 | White | 630                 | 1950mm W x 850mm D x 800mm H |
| 2590                 | Black | 630                 | 1950mm W x 850mm D x 800mm H |

• Island Freezers with Efficient Static • Danfoss Compressor

- Refrigeration
- Auto (Gas) Defrost
- Static Refrigeration
- L.E.D. Light
- -18C to -22C
- White with Grey Bump Rails

### 30C & 55% R.H.

- Castors
- Digital Controller
- Auto Condensate Disposal

• Rated for Amnient Working conditions:

|                                  | 195       |           |          | Social Manuel | and Station Stationers |
|----------------------------------|-----------|-----------|----------|---------------|------------------------|
| 24hr Production (Ambience/Water) |           |           | BIN SIZE | 240V 50Hz     | SIZE                   |
| 10°C/10°C                        | 21°C/10°C | 32°C/21°C | KG       | AMPS          | W×D×H                  |
| 22                               | 17        | 15        | 9        | 2.5           | 460X460X640            |
| 60                               | 48        | 40        | 22       | 2.5           | 530X600X770            |
| 90                               | 72        | 60        | 40       | 3             | 610X650X910/1030       |
| 145                              | 90        | 75        | 60       | 3.5           | 610X650X1100           |
| 180                              | 115       | 95        | 136      | 4             | 560X800X1520           |
| 260                              | 170       | 140       | 136      | 5.5           | 560X800X1710           |
| 300                              | 240       | 210       | 180      | 6             | 760X820X1580           |
| 380                              | 285       | 250       | 272      | 6.5           | 760X820X1780           |
| 480                              | 385       | 320       | 272      | 7.5           | 760X820X1950           |
| 520                              | 400       | 350       | 400      | 9             | 1000X820X1910          |
| 600                              | 480       | 400       | 453      | 12            | 1220X820X1780          |
| 700                              | 520       | 430       | 453      | 14            | 1220X820X1780          |
| 850                              | 620       | 550       | 453      | 16            | 1220X820X1950          |

### ✓ STAINLESS STEEL CONSTRUCTION ✓ EASY CLEAN FILTER

### MANY OPTIONS

| *Water Cooled                                 |  |
|---|--|
| *Cube Options: 28x28x22 / 22x25x22 / 25x22x12 |  |
| *LCD Screen option                            |  |
| * Moon (Half-round) ice * Flake Ice           |  |





IT x DEPTH CHILLER -1°C to 4°C

M1161


300mm D

• Full 304-grade stainless steel interior

M1162

- Signage
- Stainless steel evap tray
- OPTION: UV Light (Aust. Stds.) ✓ Anti-bacterial
- ✓ Reduces weight loss
- OPTION: Humidity Control

# MASSIVE SAVINGS AVAILABLE NOW!artisan®Australia's specialist food display equipment supplier









**Artisan<sup>®</sup> Food Equipment Pty Ltd** Specialists in Self-contained Food Display Systems

Warehouses Australia-wide 1300 278 472 | sales@artisangroup.net.au | www.artisanfoodequipment.com.au